

# Graniitti API changelog

This changelog documents Graniitti API versions released as part of [Frosmo Platform main and maintenance releases](#).



Graniitti API versions that only include Frosmo-internal improvements are not documented, so if you spot a jump in the documented version numbers, that's what happened.

## Graniitti API 0.55.0 (2020-09-21)

Frosmo Platform main release: [Juneau](#)

### Improvements

- Added the `filters` field to recommendation configurations (`/sites/<site_id>/recommendations`) for defining [advanced recommendation results filtering](#).

## Graniitti API 0.54.0 (2020-09-09)

Frosmo Platform main release: [Juneau](#)

### Improvements

- Added the `description` field to modifications (`/sites/<site_id>/messages`) for defining a description for a modification.
- Added the `pre_renderer` field to templates (`/sites/<site_id>/templates`) for defining a prerenderer for the template content. For more information about the prerenderer, see the [Juneau release notes](#).

## Graniitti API 0.53.0 (2020-07-06)

Frosmo Platform main release: [Iron Creek](#)

### Improvements

- Updated the validation for recommendation configurations (`/sites/<site_id>/recommendations`) whose type is `bundle_converted`, `bundle_viewed`, or `bundle_viewed_converted`: The API now expects a `bundle` configuration to contain an `options` property with a `product_attrs` child property, which is used for filtering the generated recommendation data by a product attribute.

## Graniitti API 0.52.4 (2020-06-22)

Frosmo Platform main release: [Iron Creek](#)

### Improvements

- In company settings (`/companies/{company_id}/settings/timezone`), added a missing timezone (`America/Sao_Paulo`, UTC -03:00) and changed the names of other timezones from `Poland` to `Europe/Warsaw` (UTC +01:00) and from `Turkey` to `Europe/Istanbul` (UTC +03:00) to comply with the Coordinated Universal Time (UTC) standard.

## Graniitti API 0.52.1 (2020-06-15)

Frosmo Platform main release: [Iron Creek](#)

### Feature updates

- In recommendations (`/sites/<site_id>/recommendations`), updated the requirements for recommendation configurations based on the [built-in recommendation types](#):
  - For the `most_viewed` and `most_converted` recommendation types:
    - If there are segment IDs defined in the `options` object, you can only filter recommendation data based on those segment IDs (not by any segment ID, as before).
    - You no longer need to define parameter values in the `params` property. You can pass an empty string as a value. However, you must define at least one parameter (even if it's value is an empty string).

- The number of parameters defined in the `params` property must match the number of attributes defined in the `product_attrs` property of the `options` object. If there are segment IDs defined in the `options` object, there must be an additional parameter for the segment ID included in the `params` property.
- If the `category_delimiter` property is defined in the `options` object, the `type` product attribute must also be defined in the `product_attrs` property.
- The `bundle_converted`, `bundle_viewed`, and `bundle_viewed_converted` recommendation types only take a single parameter in the `params` property.
- The `value` property of the `data_point` object has been deprecated.

## Improvements

- Added the `/sites/<site_id>/recommendations/<recommendation_id>/model` endpoint for retrieving and updating recommendation models.

## Graniitti API 0.49.0 (2020-05-11)

Frosmo Platform main release: [Iron Creek](#)

### Feature updates

- Added full support for [email recommendations](#) (`/sites/<site_id>/email-campaigns`).
- Added full support for [shared code](#) (`/sites/<site_id>/shared-code` and `/sites/<site_id>/workspaces/<workspace_id>/shared-code`).

## Graniitti API 0.48.0 (2020-04-27)

Frosmo Platform main release: [Happy Valley](#)

### Improvements

- Recommendations (`/sites/<site_id>/recommendations`) must now have unique names within a site. When you create or update a recommendation with a name that is already used by an existing recommendation on the site, the API throws a validation error.

## Graniitti API 0.46.3 (2020-04-14)

Frosmo Platform main release: [Happy Valley](#)

### Bug fixes

- Fixed a bug in `activities` (`/sites/<site_id>/activities`) where the API needlessly created activity entries for the following modification updates (`PUT /sites/<site_id>/messages/<message_id>`):
  - When a modification was updated with the same variation data that was already stored for the modification.
  - When a modification was updated with the same `ga_tracking` and `track_conversions` field values that were already stored for the modification.

The API no longer creates activity entries for modification updates that do not change the modification configuration.

## Graniitti API 0.46.0 (2020-03-16)

Frosmo Platform main release: [Happy Valley](#)

### Improvements

- Added the `status` property to the objects returned by the `/sites/<site_id>/positions/<position_id>/messages` endpoint. The `status` property indicates the status of the corresponding modification: `active`, `inactive`, `invalid`, `past`, or `upcoming`. The Frosmo Control Panel uses the `status` property in the **Edit Placement** view to list the modifications that use the placement by modification status.

## Graniitti API 0.45.2 (2020-03-02)

Frosmo Platform main release: [Happy Valley](#)

## Improvements

- When you create or update a recommendation (`/sites/<site_id>/recommendations`) whose `type` is `bundle_converted`, `bundle_viewed`, `bundle_viewed_converted`, `most_converted`, or `most_viewed`, the API now checks that the value of the `hours` field is greater than or equal to 1 and less than or equal to 1440. If the value is outside this range, the API returns an error.

## Graniitti API 0.45.0 (2020-02-17)

Frosmo Platform main release: [Happy Valley](#)

### Breaking changes

- Updated the `/sites/<site_id>/positions/<position_id>/messages` endpoint to return an array of objects, where each object contains the `id`, `name`, `type`, and `state` of a modification that uses the specified placement. Previously, the endpoint returned an array of numbers, where each number was the ID of a modification that used the specified placement.

### Improvements

- Added the `/sites/<site_id>/workspaces/<workspace_id>/positions/<position_id>/messages` endpoint for retrieving the workspace modifications that use the specified workspace placement. The endpoint returns an array of objects, where each object contains the `id`, `name`, `type`, and `state` of a workspace modification.



To retrieve the production modifications that use a given production placement, use the `/sites/<site_id>/positions/<position_id>/messages` endpoint.

## Graniitti API 0.44.10 (2020-02-07)

Frosmo Platform main release: [Happy Valley](#)

### Bug fixes

- Fixed a bug in modifications (`/sites/<site_id>/messages`) where the maximum length of the `title` field of modification variations was not defined. The maximum length is now set to 256 characters.

## Graniitti API 0.44.8 (2020-01-27)

Frosmo Platform main release: [Happy Valley](#)

### Improvements

- For templates whose `export_strategy` is `automatic`, the Graniitti API now adds the template content to the custom script only if a template is used in an active variation of an active modification and only if that modification has [content preloading](#) enabled. The Graniitti API no longer exports template content for modifications that have content preloading disabled, since the Message API now delivers the template content for these modifications, omitting the need to add the content to the custom script.

## Graniitti API 0.44.4 (2019-12-04)

Frosmo Platform main release: [Happy Valley](#)

### Bug fixes

- Fixed a bug in workspaces where a production template (`/sites/<site_id>/templates/<template_id>`) used in a workspace modification (`/sites/<site_id>/workspaces/<workspace_id>/messages/<message_id>`) was [exported](#) even when the value of the `template export` field was `false`, which should have prevented the export.

## Graniitti API 0.44.3 (2019-11-26)

Frosmo Platform main release: [Happy Valley](#)

## Improvements

- If you edit and save a template whose `export_strategy` is `automatic`, the API now always checks whether to export the template. If the template is used in at least one active variation of at least one active modification, the API updates the template content to the custom script of the site. Previously, the API only checked whether to export when the `export_strategy` was changed. For more information about template export, see [Creating and editing a template](#).

## Graniitti API 0.44.1 (2019-11-20)

Frosmo Platform main release: [Happy Valley](#)

## Improvements

- In the API reference, updated selected method descriptions for improved clarity and consistency.

## Graniitti API 0.43.21 (2019-11-11)

Frosmo Platform main release: [Goodnews Bay](#)

## Bug fixes

- Fixed a bug in templates where, if you used a production template (`/sites/<site_id>/templates/<template_id>`) in a workspace modification, the template content was not added to the workspace custom script if the `export_strategy` of the template was `automatic`.
- Fixed a bug in statistics where calling `GET /sites/<site_id>/statistics/report/api_call_counts_summary?start_time=<date_and_time>` threw an error if the specified time of day resulted in 00:00:00 after time zone conversion at the server side.

## Graniitti API 0.43.20 (2019-11-04)

Frosmo Platform main release: [Goodnews Bay](#)

## Improvements

- Added the `/sites/<site_id>/js/urls` endpoint for getting the absolute URLs for the Frosmo Core script and custom script used by a site. The endpoint returns a JSON object with two string fields: `core` for the Frosmo Core script URL and `custom` for the custom script URL.
- Increased the maximum length of the `element_id` field of placements (`/sites/<site_id>/positions`) from 256 to 512 characters. The `element_id` field stores the target element selector for a placement.

## Graniitti API 0.43.19 (2019-10-28)

Frosmo Platform main release: [Goodnews Bay](#)

## Improvements

- Added support for `0m` as a possible value for the `frequency` field of a recommendation (`sites/<site_id>/recommendations`). Setting the frequency to 0 minutes means that the recommendation data is never automatically regenerated. To refresh the data, you must [manually queue the recommendation for processing](#).
- Added the `/sites/<site_id>/statistics/report/api_call_counts_summary` endpoint for getting the summary counts of site events from a specific start time onwards.

## Graniitti API 0.43.18 (2019-10-14)

Frosmo Platform main release: [Goodnews Bay](#)

## Improvements

- Removing a workspace (`/sites/<site_id>/workspaces/<workspace_id>`) now also removes the content of that workspace (modifications, placements, templates, triggers).

## Bug fixes

- Fixed a bug where [custom script update](#) failed due to concurrent requests updating the same script at the exact same time. This happened only very rarely.
- Fixed a bug where, if you used a production trigger (`/sites/<site_id>/triggers/<trigger_id>`) in a workspace placement (`/sites/<site_id>/workspaces/<workspace_id>/positions/<position_id>`), and then removed the workspace without first explicitly removing the placement from it, the trigger could no longer be removed.

## Graniitti API 0.43.17 (2019-10-07)

Frosmo Platform main release: [Goodnews Bay](#)

### Improvements

- Added the `export_strategy` field to templates (`/sites/<site_id>/templates`) for defining the export strategy of a template. You can set the value to `automatic` or `manual`.
- If the `export_strategy` of a template is `automatic`, and if the template is used in an active variation of an active modification, the API automatically sets the `export` field of the template to `true`.
- Increased the maximum length of the `name` field of workspaces (`/sites/<site_id>/workspaces`) from 32 to 128 characters.

## Graniitti API 0.43.16 (2019-09-23)

Frosmo Platform main release: [Goodnews Bay](#)

### Improvements

- Added the following endpoints for getting all modifications that use a given template:
  - `/sites/<site_id>/templates/<template_id>/messages` for getting all production and workspace modifications that use the given production template
  - `/sites/<site_id>/workspaces/<workspace_id>/templates/<template_id>/messages` for getting all workspace modifications that use the given template in the same workspace
- If you update the `name` field of a template, the API now automatically updates the new name to every modification variation that uses the template.

### Bug fixes

- Fixed a bug where, if you used a production placement (`/sites/<site_id>/positions/<position_id>`) in a workspace modification (`/sites/<site_id>/workspaces/<workspace_id>/messages/<message_id>`), and then removed the workspace without first explicitly removing the modification from it, the placement could no longer be removed.

## Graniitti API 0.43.15 (2019-09-16)

Frosmo Platform main release: [Goodnews Bay](#)

### Improvements

- Added the `is_all_frosmo_off` field to sites (`/sites`, `/sites/<site_id>`, `/companies/<company_id>/sites`, `/users/<user_id>/monitoring-sites`) for getting sites based on whether they have the Frosmo Platform enabled or disabled. If `is_all_frosmo_off` is set to `true` for a site, the platform is disabled for that site, while if `is_all_frosmo_off` is set to `false`, the platform is enabled. The field only works in GET requests.



To enable or disable the platform for a site, send a PATCH request to `/companies/<company_id>/settings/is_all_frosmo_off`.

## Graniitti API 0.43.14 (2019-09-09)

Frosmo Platform main release: [Goodnews Bay](#)

### Improvements

- Removed the deprecated `contexts.segments` and `contexts.segment_criteria` properties from the modification object (`/sites/<site_id>/messages`). For more information about the change where these properties were deprecated, see the [changelog entry for version 0.43.0](#).

## Graniitti API 0.43.12 (2019-08-05)

Frosmo Platform main release: [Goodnews Bay](#)

### Improvements

- Added the `model_updated_at` field to recommendations (`/sites/<site_id>/recommendations`) for tracking when the recommendation data was last successfully generated. The platform automatically updates this field.

## Graniitti API 0.43.2 (2019-05-20)

Frosmo Platform main release: [Goodnews Bay](#)

### Improvements

- Migrated all existing production modifications to use the `segment_rules` property in place of the `contexts.segments` and `contexts.segment_criteria` properties for defining their segment rules. The `contexts.segments` and `contexts.segment_criteria` properties are no longer used by any production modification. For more information about this change, see the [changelog entry for version 0.43.0](#).

## Graniitti API 0.43.0 (2019-05-06)

Frosmo Platform main release: [Goodnews Bay](#)

### Improvements

- Added support for the segment selection feature for modifications, which combines selecting segments and defining a segment combination into a single workflow in the Frosmo Control Panel:
  - All new modifications must define their segment rules in the `segment_rules` property of the modification object (`/sites/<site_id>/messages`). Previously, only cached modifications used the `segment_rules` property, while other types of modifications used the `contexts.segments` and `contexts.segment_criteria` properties.
  - The `contexts.segments` and `contexts.segment_criteria` properties, which store segment and segment combination data, respectively, are now effectively deprecated. Existing production modifications that use these properties will be gradually migrated to use the `segment_rules` property.

## Graniitti API 0.42.3 (2019-04-08)

Frosmo Platform main release: [Funny River](#)

### Bug fixes

- Fixed parameter details for DELETE `/sites/<site_id>/workspaces/<workspace_id>/positions/<position_id>`. The `workspace_id` parameter was incorrectly named `site_id` and described as `Site ID`.

## Graniitti API 0.42.2 (2019-03-11)

Frosmo Platform main release: [Funny River](#)

### Improvements

- Increased the maximum size of template content (`/sites/<site_id>/templates`) to 512 KB (524 288 characters). If you try to create or update a template with a `template` field whose value exceeds the size limit, the API returns an error.

## Graniitti API 0.42.0 (2018-12-03)

Frosmo Platform main release: [Funny River](#)

### Feature updates

- Added support for [Frosmo Recommendations](#). Frosmo Recommendations is an end-to-end solution for generating recommendations in the Frosmo Platform. This feature is implemented as follows:

- Added the `/recommendations` endpoint for getting all recommendations for all sites to which you have access.
- Added the `/sites/<site_id>/recommendations` endpoint for managing recommendations per site. You can get and create recommendations.
- Added the `/sites/<site_id>/recommendations/<recommendation_id>` endpoint for managing individual recommendations per site. You can get, update, and delete recommendations.

## Graniitti API 0.41.5 (2018-11-05)

Frosmo Platform main release: [Elephant Point](#)

### Bug fixes

- Fixed an issue where the `segment_changes.all` report (`/sites/<site_id>/statistics`) returned incorrect data for segments other than `_all`. The report now returns data only for the `_all` segment, which is a built-in summary of all segments.

## Graniitti API 0.41.3 (2018-10-01)

Frosmo Platform main release: [Elephant Point](#)

### Feature updates

- Updated the [error tracking feature](#) to retrieve Frosmo Core errors from a new log.

## Graniitti API 0.41.2 (2018-09-03)

Frosmo Platform main release: [Elephant Point](#)

### Improvements

- Improved the response time for `GET /sites/<site_id>/js?custom_code` requests by caching the returned custom script contents.

## Graniitti API 0.41.1 (2018-08-23)

Frosmo Platform main release: [Elephant Point](#)

### Bug fixes

- Fixed an issue where the API always expected workspace custom code when building a workspace custom script. If a workspace did not have dedicated custom code, which is usually the case when you create a new workspace, for example, the API failed to default to the production custom code. This resulted in the workspace custom script missing the custom code for the site. This issue has now been fixed, and the API correctly uses the production custom code for the workspace custom script if there's no workspace custom code available. For more information about workspace custom code and workspace custom scripts, see [Adding custom code to a workspace](#) and [Updating the custom script for a workspace](#).

## Graniitti API 0.41.0 (2018-08-20)

Frosmo Platform main release: [Elephant Point](#)

### Feature updates

- Added support for add-ons (`/companies/<company_id>/addons`)
- Added support for custom extensions (`/companies/<company_id>/custom-addons`).
- Added support for plans:
  - Added the following new company settings (`/companies/<company_id>/settings`) for enabling and disabling feature access based on a company's plan:
    - `graniitti_api` for Graniitti API access
    - `multi_arm_band` for the [multi-armed bandit feature](#)
    - `security_settings` for security settings
  - Added target groups to activities (`/sites/<site_id>/activities`). Whenever a target group is added, edited, or removed, the API now logs the action as an activity for the first site of the company. This is required for tracking target group usage against plans.

## Improvements

- Added the `custom_code` query parameter to `GET /sites/<site_id>/js`. The parameter allows you to replace the custom code in the returned custom script with the parameter value. Use the parameter when you only want to retrieve the site configuration and module parts of the custom script. For example, `GET /sites/1234/js?custom_code=PLACEHOLDER` returns the full contents of the custom script but with the custom code replaced by the text "PLACEHOLDER".
- Added size validation for templates (`/sites/<site_id>/templates`). Template content cannot exceed 65 535 characters in length.
- Improved API request performance by [caching routes](#).
- Improved error reporting by reclassifying selected errors and warnings as critical errors.

## Graniitti API 0.40.0 (2018-06-18)

Frosmo Platform main release: [Diamond Ridge](#)

### Feature updates

- Added support for the error handling and logging functionality provided by Frosmo Core. Custom scripts exported by the API now use the new error handling and logging features (namely `easy.guard()` and the `easy.log` module).

## Improvements

- When you export a custom script to the CDN (`/sites/<site_id>/js/export`), the API now excludes the `profile` property from cached modification objects in cases where the site does not have [selective profiling](#) enabled. Previously, the API exported the `profile` property for cached modifications regardless of whether or not the site used selective profiling.

## Graniitti API 0.39.1 (2018-05-21)

Frosmo Platform main release: [Coldfoot \(patch\)](#)

### Feature updates

- Improved the [workspaces feature](#):
  - Added support for placements (`/sites/<site_id>/workspaces/<workspace_id>/positions`).
  - Added support for triggers (`/sites/<site_id>/workspaces/<workspace_id>/triggers`).

## Graniitti API 0.39.0 (2018-04-23)

Frosmo Platform main release: [Coldfoot](#)

### Feature updates

- Added support for the [selective profiling feature](#). If enabled for a site, selective profiling forces you to define for each modification separately whether the modification is for visitors who have opted in to profiling, visitors who have opted out of profiling, or all visitors. This feature is implemented as follows:
  - Added the `profile` field to modifications (`/sites/<site_id>/messages`) for defining the profiling setting for a modification. You can set the field to `opt-in`, `opt-out`, or `all`.
  - Added the `mod_profile` field to site settings (`/companies/<company_id>/settings`) for enabling and disabling selective profiling for a site. You can set the field to `true` (1) or `false` (0).
- Added support for the [temporary password feature](#). When you create a new Frosmo Control Panel user and define a password for them, or when you change the password of an existing user, the password is set to expire in 30 days. The user is prompted to change the password when they log in to the Control Panel.
- Improved the [error tracking feature](#):
  - When a Frosmo Control Panel user is removed from a company, the user's error tracking settings for the company are archived.
  - When a Frosmo Control Panel user is added back to a company from which they were previously removed, the user's error tracking settings for the company are restored.

The error tracking settings consist of:

- Monitored sites (`/users/<user_id>/monitoring-sites`)
- Subscribed error services (`/users/<user_id>/error-services`)
- Improved the [workspaces feature](#):
  - Added support for templates (`/sites/<site_id>/workspaces/<workspace_id>/templates`).
  - Added support for workspace-specific custom code.
  - Added support for deleting the workspace custom script from the CDN (`/sites/<site_id>/workspaces/<workspace_id>/js/export`).

## Improvements

- Added time zone information to the date and time values in paginated results. Previously, the API returned the date and time values without the time zone, which prevented client applications from adjusting the date and time accordingly.
- When you export a custom script to the CDN (`/sites/<site_id>/js/export`), the API now automatically sets the minimum Frosmo Core version supported by the script to two minor versions behind the current Frosmo Core version. For example, if the current Frosmo Core version is 8.29.0, the API sets the minimum supported version to 8.27.0.

## Graniitti API 0.38.0 (2018-03-19)

Frosmo Platform main release: [Big Delta](#)

### Feature updates

- Added support for the [workspaces feature](#). Workspaces allow you to safely develop both new and existing modifications in the Frosmo Control Panel without affecting the live content of the site. This feature is implemented as follows:
  - Added the `/sites/<site_id>/workspaces` endpoint for managing workspaces. You can get, create, update, and delete workspaces.
  - Added the `/sites/<site_id>/workspaces/<workspace_id>/js` endpoint for managing the custom script of a workspace. You can trigger an update that builds and deploys the latest custom script to the content delivery network (CDN). You can also get the full contents or just the site configuration part of the custom script.
  - Added the `/sites/<site_id>/workspaces/<workspace_id>/messages` endpoint for managing the modifications within a workspace. You can get, create, update, and delete workspace modifications.
- Improved the [error tracking feature](#):
  - Added the `/users/<user_id>/error-services` endpoint for getting the error tracking services from the sites the user is monitoring. The endpoint only returns services whose status is "Warning" or "Critical".
  - Opened the feature to all users. Any user can now track site errors from the Frosmo Control Panel or through the Graniitti API.

## Improvements

- Removed support for Internet Explorer 9. You can no longer configure a site as supporting IE9.
- In the API reference, added dedicated endpoint sections for each statistics report (`/sites/<site_id>/statistics/report/<report_name>`). Instead of selecting the report with the `report` parameter in the shared endpoint section (`/sites/<site_id>/statistics`), you can now refer to the report's dedicated section instead (for example, `/sites/<site_id>/statistics/report/all_conversions.daily`). The dedicated sections have the advantage of providing only the parameters valid for the current report.

## Graniitti API 0.37.0 (2018-01-15)

Frosmo Platform main release: [Abyss Lake](#)

### Feature updates

- Added support for the [advanced tracking feature](#). This feature extends the basic tracking functionality of the Frosmo Platform (clicks, displays, true displays) by allowing you to send additional tracking data from a site to the Frosmo back end. This feature is implemented as follows:
  - Added the `/companies/<company_id>/settings/mod_advanced_tracking` endpoint for enabling and disabling advanced tracking for a site.
  - Added the `/sites/<site_id>/statistics/report/tracking_events_summary` endpoint for getting the `tracking_events_summary` report for custom events. This report returns the total event counts and unique visitor counts for tracked custom events over the selected time period.
  - Added the `/sites/<site_id>/statistics/report/tracking_events_summary.daily` endpoint for getting the `tracking_events_summary.daily` report for custom events. This report returns the daily event counts and unique visitor counts for tracked custom events over the selected time period.
  - Added the `tracking_events_summary.daily` report as a possible parameter value to `GET /sites/<site_id>/statistics`. You can also get this report directly with the dedicated endpoint.
- Removed the `/companies/<company_id>/settings/messages_before_context` endpoint, since this company setting is no longer needed.
- Removed the `counterId` field for segment triggers from the site configuration part of the custom script (`/sites/<site_id>/js/config`). This field was replaced by the `counterIds` field already in the Frosmo Tarzana release, and has since been supported only for backward compatibility.
- Previously, for a modification using the [multi-armed bandit](#), variation distributions were recalculated every time the modification was saved. This meant that the distributions were recalculated even when there was no change to the data (clicks, displays) used for the calculations. This has now been changed so that distributions are recalculated only when:
  - Modification is activated
  - Variation is activated
  - Variation is deactivated
  - Multi-armed bandit reward is changed
  - Multi-armed bandit algorithm is changed

## Improvements

- In the API reference, updated the method descriptions, request parameter descriptions, response descriptions, response status code reasons, and selected endpoint names for improved clarity and usability.

## Bug fixes

- For the multi-armed bandit, fixed an error where the Thompson sampling algorithm did not work when there were more rewards (clicks) than trials (displays), which resulted in a negative beta distribution value. The minimum beta distribution value is now 1.
- For the multi-armed bandit, fixed an error where the UCB algorithms returned 100% distribution for multiple variations in the same calculation, because there were multiple winning variations with the same upper confidence bound. Only one variation can now get 100% distribution.

## Graniitti API 0.36.0 (2017-11-20)

Frosmo Platform main release: [Yucca Valley](#)

### Feature updates

- Improved pagination support:
  - Added pagination based on the `page` and `per_page` query parameters to all resources. You must always specify the `page` parameter if you want to paginate results. Paginated results are embedded inside a paginator object, which provides the necessary metadata about the pagination. For more information, see [Managing results](#).
  - Updated the pagination for activities (`/sites/<site_id>/activities`) and products (`/sites/<site_id>/products`) to use the `page` and `per_page` query parameters.
  - Limited requests that do not use pagination to 10 000 results. If a request finds more than 10 000 results, the API returns an error. In this case, to get the results, use pagination.
- If you use an invalid date format in a `GET /sites/<site_id>/statistics` or `GET /sites/<site_id>/statistics/export` request, the response now provides instructions for using the correct date format.

### Bug fixes

- Template names must now be unique per site (`/sites/<site_id>/templates`).
- The API now correctly distinguishes between a space and an underscore in template names (`/sites/<site_id>/templates`). For example, if you try to delete a template named "Product Recommendation", the API now correctly targets that name rather than "Product Recommendation".
- Previously, if a user had a site on the **Error Tracking > Overview** page in the Frosmo Control Panel, and if the user was then removed from the corresponding company through the User Management Tool, the user still saw the site on the **Overview** page. This has now been fixed, so that the user no longer sees the site.
- Previously, if a user was getting error notifications for a service, and if the user was then removed from the company to whose site the service belonged, the user still got error notifications for the service. This has now been fixed, so that the user no longer gets the error notifications.

## Graniitti API 0.35.1 (2017-10-23)

Frosmo Platform main release: [Xanadu](#)

### Feature updates

- The `message_conversions_products.daily` and `message_conversions_relevant_products.daily` reports now also return the `product_id_string` field (`/sites/<site_id>/statistics`). The field provides an additional way of identifying a product to the standard `product_id` field.

## Graniitti API 0.35.0 (2017-09-25)

Frosmo Platform main release: [Xanadu](#)

### Feature updates

- Added the `/sites/<site_id>/messages/<message_id>/products` endpoint for products relevant to a modification. You can get, attach, and remove relevant products for a modification.
- Added the `/sites/<site_id>/messages/<message_id>/non-relevant-products` endpoint for getting the products that are not relevant to a modification.
- Added pagination support for products (`/sites/<site_id>/products`). For more information, see [Managing results](#).

### Bug fixes

- Fixed an issue where a service alert (`/sites/<site_id>/service-alerts`) failed to update the corresponding service (`/sites/<site_id>/services`) if the alert did not change the service status, description, or data. The API now correctly updates the `updated_at` field of a service even in cases where an alert changes nothing about the service.

- Fixed an issue where temporarily disabling a service blocked service alerts to that service even after the disable period had expired. If you tried to POST a new alert after the disable period had expired, the API returned an error, meaning the service was still effectively disabled. This has now been fixed, and new alerts work normally after the disable period.
- For cached modifications using the [multi-armed bandit](#), fixed an issue where recalculated variation distributions were not updated to the custom script.
- For cached modifications using the multi-armed bandit, if a variation is assigned a 0% distribution, the data for that variation is no longer included in the custom script. This helps reduce the file size of the custom script.

## Graniitti API 0.34.0 (2017-08-28)

Frosmo Platform main release: [Watts](#)

### Feature updates

- Updated the [Laravel](#) framework to version 5.4.
- Updated the [error tracking feature](#):
  - Added the `disabled_by`, `disabled_due_to`, and `disabled_until` fields for services (`/sites/<site_id>/services`). These fields allow you to temporarily disable all error notifications for a service for all users (meaning the service itself is disabled).
  - Limited the feature to Frosmo users. Only Frosmo users can now access the endpoints for this feature.

## Graniitti API 0.33.0 (2017-07-31)

Frosmo Platform main release: [Venice](#)

### Feature updates

- Added support for the [error tracking feature](#). This feature allows Frosmo developers and project managers to monitor their sites for errors and troubleshoot problems in the Frosmo Control Panel. This feature is implemented with the following new endpoints:
  - `/sites/<site_id>/services`
  - `/sites/<site_id>/service-alerts`
  - `/users/<user_id>/service-settings/<service_id>`
  - `/users/<user_id>/monitoring-sites`
- Added the `/users/<user_id>/site-settings/<site_id>` endpoint for getting and updating site settings specific to a Frosmo Control Panel user. Currently, this endpoint is only used for the error tracking feature to get and update monitored sites.
- Added the `/sites/<site_id>/custom-files` endpoint for getting and adding custom script files. The files are stored in the Frosmo back end. This improves the Amazon export feature by replacing the Amazon CDN with the Frosmo back end as the intermediary script storage before the final export.

### Bug fixes

- If no templates are exportable, the API now exports an empty object. Previously, the API exported an empty array.
- In Swagger, for the `/users/<user_id>/companies` endpoint, fixed the POST and PUT request data models from an array of strings to an array of integers (array of company IDs).

## Graniitti API 0.32.0 (2017-06-05)

Frosmo Platform main release: [Upland](#)

### Feature updates

- Added support for the Amazon export feature. This feature allows Graniitti to fully control custom script updates to the Amazon CDN.
- Added the `export` field for templates (`/sites/<site_id>/templates`). This field allows you to define whether or not a template is exported to the Amazon CDN along with the custom script. Previously, if you wanted to export a template, you had to append its name with a space followed by "EXPORT".

## Graniitti API 0.31.0 (2017-05-08)

Frosmo Platform main release: [Tarzana](#)

### Feature updates

- Added the `alias` field for triggers (`/sites/<site_id>/triggers`). This field allows you to define an alias for a trigger.
- Added the `messages_summary` report to statistics (`/sites/<site_id>/statistics`). This report provides summary statistics for modifications.

- For trigger rules, added support for referencing nested JavaScript arrays and objects with dot notation (`/sites/<site_id>/triggers`). For example, you can now define a trigger rule that checks the value of a nested object's property using the syntax `object.object.property`.
- Improved performance when retrieving the `message_conversion_data_summary` and `revisions_summary` reports (`/sites/<site_id>/statistics`).

## Bug fixes

- Fixed a bug in segmentation rule validation where the API would return an error even though the segmentation rule was valid.

## Graniitti API 0.30.0 (2017-04-10)

Frosmo Platform main release: [Skid Row](#)

### Breaking changes

- In statistics, in the `segment_statistics.daily` report, renamed the `daily_paying_users` field to `paying_users` (`/sites/<site_id>/statistics`).

### Feature updates

- Added support for new multi-armed bandit algorithms (`/sites/<site_id>/messages`). For more information about the new algorithms, see the [Skid Row release notes](#) and [Multi-armed bandit optimization](#).
- Added support for new trigger events (`/sites/<site_id>/triggers`). For more information about the new events, see the [Skid Row release notes](#).

## Bug fixes

- The API now trims leading and trailing spaces from all string fields in a request body. This affects all resources that support the POST, PUT, and /or PATCH methods, except modifications (`/sites/<site_id>/messages`).
- Fixed activities filtering by activity type (`/sites/<site_id>/activities`). Previously, filtering activities by the `item_type` field did not work correctly.
- Fixed statistics filtering by invalid field name (`/sites/<site_id>/statistics`). Previously, if you used an invalid field name in the `fields` query parameter of a statistics request, the API returned the valid field names as the `fields` object. Now, the API correctly returns the valid field names as the `fields` array.
- Fixed the `performance_summary` reports when there are no conversions (`/sites/<site_id>/statistics`). Previously, if a site had no conversions during a given time period, requesting a `performance_summary` report for that period returned no data. Now, the API correctly returns segmentation-related data for the period.

## Graniitti API 0.29.0 (2017-03-13)

Frosmo Platform main release: [Rosemead](#)

### Feature updates

- Improved segmentation rule validation for segments (`/sites/<site_id>/segments`). When creating (POST) or updating (PUT) a segment, the API now applies a more strict validation on the rules defined for the segment (the `rules` object in the request body).

## Graniitti API 0.28.0 (2017-02-13)

Frosmo Platform main release: [Quartz Hill](#)

### Breaking changes

- Removed the `revision_counter` field from modifications (`/sites/<site_id>/messages`).
- Renamed the field names of the `message_conversion_data_summary` report to match the field names in other reports (`/sites/<site_id>/statistics`).

### Feature updates

- Added the `revisions_bandit` field for modifications (`/sites/<site_id>/messages`). This field provides support for the [multi-armed bandit feature](#).
- Added four `revisions_summary` reports to statistics (`/sites/<site_id>/statistics`). This report provides summary statistics for modification variations.

- Conversion statistics for a modification are now listed by variation. Previously, conversions were listed for the modification as a whole with no separation by variation.
- Improved performance when retrieving modification content.

## Graniitti API 0.27.0 (2017-01-16)

Frosmo Platform main release: [Palmdale](#)

### Feature updates

- Added the `revisions_lock` field for modifications (`/sites/<site_id>/messages`). This field provides support for [unlocking the variations of a modification for visitors](#).

## Graniitti API 0.26.0 (2016-12-19)

Frosmo Platform main release: [Old Bank](#)

### Feature updates

- Added the target group resource (`/companies/<company_id>/target-groups`). You can get, create, update, and delete target groups.
- Added the JavaScript export endpoint for [updating the custom script for a site](#) (`/sites/<site_id>/js/export`).
- For the custom action resource, added support for POST, PUT, and DELETE methods (`/sites/<site_id>/custom-actions`).
- Merged the custom action value resource to the custom action resource. The values are now represented as an array of objects (`values`) within the custom action object.

### Bug fixes

- For PUT `/sites/<site_id>/messages/<message_id>` requests, the API now applies a more strict validation on the `display_options` object in the request body.